

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6968563").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:49
L2	3	("6915301").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:49
L3	2	("6898764").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:49
L4	2	("6877163").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:49
L5	2	("6750887").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:50
L6	3	("6606741").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:50
L7	2	("6542884").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:50

## EAST Search History

L8	2	("6499041").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:50
L9	2	("6467080").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:50
L10	2	("6446077").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:51
L11	2	("6381734").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:51
L12	2	("6233726").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:51
L13	2	("6002867").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:51
L14	2	("5493680").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:51

## EAST Search History

L15	2	("5487141").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:51
L16	2	("5410705").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:52
L17	2	("5371891").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:52
L18	2	("5297248").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/31 09:52
S1	537	(717/108).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/31 09:49
S2	2	S1 and (form\$1based)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 08:37
S3	0	(".NET" framework)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/08/21 08:38

## EAST Search History

S4	933	(NET framework)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/08/21 08:38
S5	70	(NET framework) same form	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/08/21 08:39
S6	7	(NET framework) same form same custom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/08/21 08:40
S7	0	(NET framework) same (form near3 (user interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/08/21 08:40
S8	82	(NET framework) same (user interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/08/21 08:41
S9	2	("6002867").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 14:55

Google

windows form development, type delegation, t

Search

Advanced Search  
Preferences

New! View and manage your web history

Web Results 1 - 10 of about 13,100 for **windows form development, type delegation, tool palette, assembly,**

### Application Development Landscape for Windows CE .NET

Microsoft® Windows® CE .NET application development Microsoft .NET Compact Framework ... As someone once said, "Win32 is the **assembly language** of Windows. ... msdn2.microsoft.com/en-us/library/ms836431.aspx - 43k - [Cached](#) - [Similar pages](#)

### Interoperability Between .NET & COM

**NET Framework** SDK, however this utility simply generates a **type** library and does ... **Windows.Forms** namespace is not exposed. Indeed this **assembly** only ... bdh1.borland.com/article/borcon/files/3198/paper/3198.html - 59k - [Cached](#) - [Similar pages](#)

### Dr. Dobb's | .NET vs. J2EE | March 1, 2001

**Windows Forms** fill the same functional role as MFC, but they are plugged into the .... Microsoft's dot-N**ET framework** is based on its Common **Language Runtime** ... www.ddj.com/java/184414710 - 65k - [Cached](#) - [Similar pages](#)

### Best Practices of Coding in VB.NET

**NET Framework** that make signatures-and even **Intermediate Language** code ... **development** time-functionality that is similar to other **tools** (targeted toward ... www.vbdotnetheaven.com/UploadFile/akrao/PracticesofCodingInVB.aspx - 282k - [Cached](#) - [Similar pages](#)

### VB.NET

In this example we will create a sample **windows form** containing a combo box ..... **NET Framework** are based on the **delegate** model. Delegates are **type-safe** ... www.vbdotnetheaven.com/Rss/SectionArticles.aspx?SectionID=2&SubSectionID=10 - 200k - [Cached](#) - [Similar pages](#)

### .NET Interoperability: COM Interop

**NET Framework Type Library to Assembly Converter 1.1.4322.573** ..... Additionally **delegate** classes are rendered in local **language form**, which trivialises the ... www.blong.com/Articles/DotNetInteropD8/Interop2/COMNetInterop.htm - 176k - [Cached](#) - [Similar pages](#)

### Amazon.ca: Effective C#: 50 Specific Ways to Improve Your C# ...

C# is the premier **language** for .NET **development**, and is currently the ..... **NET**, **Web forms**, and **Windows Forms**. I reference these concepts throughout the ... www.amazon.ca/Effective-C-Specific-Ways-Improve/dp/product-description/0321245660 - 76k - [Cached](#) - [Similar pages](#)

### [PDF] COPYRIGHTED MATERIAL

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**NET Framework** Classes. 20. Namespaces. 21. Creating .NET Applications Using C#. 21. Creating ASP.NET Applications. 22. Creating **Windows Forms** ... media.wiley.com/product\_data/excerpt/25/04701247/0470124725-1.pdf - [Similar pages](#)

### The Code Project - Free Source Code and Tutorials

It shows concepts such as dynamic **assembly** loading for plugins, a textbox that does not ..... Writing a **Windows Form** Application For .NET **Framework** Using C# ... www.codeproject.com/csharp/index.asp - 977k - [Cached](#) - [Similar pages](#)

### CodeGuru: Basic Syntax

**NET Framework** controls are thread safe, you will have to use Control.Invoke and delegates to marshal data from background worker threads to the **Windows Form** ... www.codeguru.com/csharp/csharp/cs\_syntax/ - 152k - [Cached](#) - [Similar pages](#)

Google

windows form development, type delegation, t   [Advanced Search](#)  
[Preferences](#)  
 New! [View and manage your web history](#)

Web Results 11 - 20 of about 13,100 for **windows form development, type delegation, tool palette, assembly**

### O'Reilly Media -- Bookstore: Mono: A Developer's Notebook

**NET Framework** are very powerful. Besides the array **type** we introduced in ... Common **Intermediate Language** is the equivalent of **assembly language** for the . ...  
[www.oreilly.com/catalog/mono/adn/toc.html](http://www.oreilly.com/catalog/mono/adn/toc.html) - 339k - [Cached](#) - [Similar pages](#)

### [PDF] COPYRIGHTED MATERIAL

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Microsoft **Intermediate Language** (IL or MSIL), 5 .... **NET Framework**, 7–12. projects. adding **Windows forms** to, 32–39. configuring, 27–31 ...  
[media.wiley.com/product\\_data/excerpt/86/07821403/0782140386-2.pdf](http://media.wiley.com/product_data/excerpt/86/07821403/0782140386-2.pdf) - [Similar pages](#)

### Comparison of C# with Java: A Developer Perspective

**NET** is a **language** and operating system (on **Windows** as of now) independent ... Represents reference data **type** with key word **delegate**(function pointer) ...  
[www.c-sharpcorner.com/.../ComparisonJavaandCs.aspx?ArticleID=69c0505b-c893-44eb-87e4-d065e6b83180](http://www.c-sharpcorner.com/.../ComparisonJavaandCs.aspx?ArticleID=69c0505b-c893-44eb-87e4-d065e6b83180) - 272k - [Cached](#) - [Similar pages](#)

### Visual Basic .NET

I create a **Windows Forms** application with reporting being processed as local ..... **NET Framework** are based on the **delegate** model. Delegates are **type-safe** ...  
[www.dotnetheaven.com/Rss/SectionArticles.aspx?SectionID=2](http://www.dotnetheaven.com/Rss/SectionArticles.aspx?SectionID=2) - 300k - [Cached](#) - [Similar pages](#)

### Dictionary of Programming Languages

**Net Framework SDK**". Other implementations are under **development**. Origin:. Microsoft, 1999 ... Under the CLR, code is compiled into an **intermediate language**, ...  
[cgibin.erols.com/ziring/cgi-bin/cep/cep.pl?\\_alpha=c](http://cgibin.erols.com/ziring/cgi-bin/cep/cep.pl?_alpha=c) - 92k - [Cached](#) - [Similar pages](#)

### [PDF] ManagedITK: .NET Wrappers for ITK

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Rapid GUI **Development**: The **Windows Forms** library can be used to quickly and easily ..... Expand the desired **assembly** and scroll to the explicit-**type** wrap- ...  
[insight-journal.org/dspace/bitstream/1926/501/2/ManagedITK-article-1.0.pdf](http://insight-journal.org/dspace/bitstream/1926/501/2/ManagedITK-article-1.0.pdf) - [Similar pages](#)

### Calling .NET from Mathematica - Wolfram Mathematica

**NET Framework**, this means a System.Windows.Forms.Form or any class that ..... The ildasm.exe tool (**intermediate language** disassembler) is very useful for ...  
[reference.wolfram.com/mathematica/NETLink/tutorial/CallingNETFromMathematica.html](http://reference.wolfram.com/mathematica/NETLink/tutorial/CallingNETFromMathematica.html) - 512k - [Cached](#) - [Similar pages](#)

### MSDN Magazine Topics

**NET Framework** using the C++/CLI **language** extensions in Visual C++ 2005. ... Deliver The Power Of Spy++ To **Windows Forms** With Our New Tool by Benjamin Wulfe ...  
[msdn.microsoft.com/msdnmag/topics/?tags=cpp&iss=y](http://msdn.microsoft.com/msdnmag/topics/?tags=cpp&iss=y) - 161k - [Cached](#) - [Similar pages](#)

### Dejan's Weblog

The **Intermediate Language** is an extremely simple version of a stack machine. .... **NET** and **Windows Forms**, your app will not respect the themes. ...  
[www.jelovic.com/weblog/index.htm](http://www.jelovic.com/weblog/index.htm) - 205k - [Cached](#) - [Similar pages](#)

### The Code Project - Free Source Code and Tutorials

**NET framework** provides a very flexible and powerful approach to ..... DataGrid Paging using C# **Windows Forms** - Select only the required (page size) records ...  
[www.codeproject.com/cs/database/](http://www.codeproject.com/cs/database/) - 208k - [Cached](#) - [Similar pages](#)

Google

windows form development, type delegation, t   [Advanced Search](#)

[Preferences](#)

New! View and manage your web history

Web Results 21 - 30 of about 13,100 for **windows form development, type delegation, tool palette, assembly**

System for running applications in a resource-constrained set-top ...

An **assembly** is the primary building block of a **.NET Framework** application. ... [0052] A

**form** (such as a **Windows-type Form**) refers to a composite control ...

[www.freepatentsonline.com/20060225107.html](http://www.freepatentsonline.com/20060225107.html) - 147k - [Cached](#) - [Similar pages](#)

Programming interface for a computer platform - Patent 20050091576

It permits multi-**language development** and seamless integration by .... [0045] In addition to the **framework** 132, programming **tools** 210 are provided to assist ...

[www.freepatentsonline.com/20050091576.html](http://www.freepatentsonline.com/20050091576.html) - 289k - [Cached](#) - [Similar pages](#)

[ [More results from www.freepatentsonline.com](#) ]

The Cerebral Kitchen Archives - programming|.NET

**.NET framework**, you can set the display name by using the following method: ..... I still need to work on the **palette** optimization (the KB article only ...

[www.cerkit.com/cerkitBlog/SyndicationService.aspx/GetRssCategory?](http://www.cerkit.com/cerkitBlog/SyndicationService.aspx/GetRssCategory?categoryName=programming%7C.NET)

[categoryName=programming%7C.NET](http://www.cerkit.com/cerkitBlog/SyndicationService.aspx/GetRssCategory?categoryName=programming%7C.NET) - 328k - [Cached](#) - [Similar pages](#)

CodeGuru: Events: Did You Know?

**.NET\FrameworkSDK\Tool Developers Guide\docs**) contains the Common **Language** ...

exploration is how events are emitted as Common **Intermediate Language** (CIL). ...

[www.codeguru.com/csharp/.net/net\\_general/il/article.php/c4601/](http://www.codeguru.com/csharp/.net/net_general/il/article.php/c4601/) - 117k -

[Cached](#) - [Similar pages](#)

[PDF] Technische Berichte Nr.4

File Format: PDF/Adobe Acrobat

Before being able to evaluate a **language conversion tool** satisfyingly, ..... **.NET**

**Framework**, there is no direct equivalent. All **delegate** classes derive from ...

[www.hpi.uni-potsdam.de/fileadmin/hpi/source/Technische\\_Berichte/HPI\\_04\\_JLCA-](http://www.hpi.uni-potsdam.de/fileadmin/hpi/source/Technische_Berichte/HPI_04_JLCA-Report.pdf)

[Report.pdf](http://www.hpi.uni-potsdam.de/fileadmin/hpi/source/Technische_Berichte/HPI_04_JLCA-Report.pdf) - [Similar pages](#)

[PDF] Page 1 © Groupe Eyrolles, 2006, ISBN : 2-212-11768-X Page 2 Annexe ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Intermediate Language**. Langage intermédiaire de **.NET**. Voir CIL. .... des équivalents sous

**Windows Forms** et **Web Forms**. Tab order. OTA. Open **Tools API**. ...

[www.editions-eyrolles.com/Chapitres/9782212117684/annexes\\_Dahan.pdf?](http://www.editions-eyrolles.com/Chapitres/9782212117684/annexes_Dahan.pdf?xd=b464c81cee4f3189480926bb74b2f949)

[xd=b464c81cee4f3189480926bb74b2f949](http://www.editions-eyrolles.com/Chapitres/9782212117684/annexes_Dahan.pdf?xd=b464c81cee4f3189480926bb74b2f949) - [Similar pages](#)

schränkmonster blog / technology-ninja

**.NET Tools** for Game **Development** - Guidelines and Lessons Learned ..... **.NET**

**framework** on **Windows** and Mono on everything else we discovered an annoying bug. ...

[www.schränkmonster.de/CategoryView,category,Development.aspx](http://www.schränkmonster.de/CategoryView,category,Development.aspx) - 977k -

[Cached](#) - [Similar pages](#)

软件开发技术常用术语英中对照- 无为- BlogJava- [ [Translate this page](#) ]

**CIL** (common **intermediate language**)通用中间语言、通用中介语言 class 类 .....

**development tool** 开发工具 parent (of object), child 父级(对象),子对象 ...

[www.blogjava.net/mlh123caoer/archive/2007/08/26/139506.html](http://www.blogjava.net/mlh123caoer/archive/2007/08/26/139506.html) - 83k -

[Cached](#) - [Similar pages](#)

[PDF] An Introduction to ASP .NET

File Format: PDF/Adobe Acrobat

**.NET Framework** insists that all **language** are completely **type** ..... with any Microsoft

**development tools**, the Visual Basic layout is the one used ...

[www.dotnet.za.net/book/IntroToASP.NET.pdf](http://www.dotnet.za.net/book/IntroToASP.NET.pdf) - [Similar pages](#)

MSDN .NET

Google

custom windows form, descendant class, pers

Search

[Advanced Search](#)  
[Preferences](#)

New! View and manage your web history

Web Results 1 - 10 of about 58,700 for **custom windows form, descendant class, persisted user input**. (0.26

### Inside Microsoft: A Custom Class for ASP.NET Session Variables

For instance, your application may have to collect **user input** over a series ... **Web Forms** in the project. The **PageManager class** is derived from **System.Web. ...**  
[microsoft.apress.com/asptodayarchive/73938/a-custom-class-for-aspnet-session-variables](http://microsoft.apress.com/asptodayarchive/73938/a-custom-class-for-aspnet-session-variables)  
 - 41k - [Cached](#) - [Similar pages](#)

### Overview of the Microsoft .NET Framework 3.0

The **classes** that make up the API are largely part of the **System.Windows.Forms** namespace, or its **descendants**. For details, see **Windows Forms. ...**  
[msdn2.microsoft.com/en-us/library/ms687307.aspx](http://msdn2.microsoft.com/en-us/library/ms687307.aspx) - 17k - [Cached](#) - [Similar pages](#)

### Qt 4.0: Annotated Class Index

QInputEvent, The base **class** for events that describe **user input** .... QScreen, And its **descendants** manage the framebuffer and palette ...  
[doc.trolltech.com/4.0/annotated.html](http://doc.trolltech.com/4.0/annotated.html) - 75k - [Cached](#) - [Similar pages](#)

### Development system with methods providing visual form inheritance ...

receiving **user input** for placing components selected from the palette on ..... For instance, the **user** can move screen buttons on the **descendant form** to a ...  
[www.freepatentsonline.com/6002867.html](http://www.freepatentsonline.com/6002867.html) - 109k - [Cached](#) - [Similar pages](#)

### Dr. Dobb's | Globalized Web Applications & ASP.NET | April 1, 2002

Label is a web **form** control **class** that displays its Text property as read-only ... for the most part, an invisible life — attached to **user-input** controls, ...  
[www.ddj.com/windows/184405025](http://www.ddj.com/windows/184405025) - 60k - [Cached](#) - [Similar pages](#)

### InformIT: .NET Reference Guide > JavaBeans and .NET Components

The convention is for this second parameter to be a **descendent** of System. ... **User Services Tier**. A servlet is simply a Java **class** that executes in a JVM ...  
[www.informit.com/guides/content.aspx?g=dotnet&seqNum=103](http://www.informit.com/guides/content.aspx?g=dotnet&seqNum=103) - 46k - [Cached](#) - [Similar pages](#)

### Axis1.Forms namespace reference — Axisbase

These **classes** store **persistent** building block objects, called "nuts" in code. .... This shows a progress **form** that blocks **user input**, except possibly ...  
[www.axisbase.com/reference/programming/axis1-forms-namespace-reference](http://www.axisbase.com/reference/programming/axis1-forms-namespace-reference) - 70k - [Cached](#) - [Similar pages](#)

### DXperience

**Persistent Class Generation** - XPO can now generate **persistent classes** that .... **NET Windows Forms Components**. This subscription does not include source code ...  
[www.componentsource.com/products/dxperience/index.html](http://www.componentsource.com/products/dxperience/index.html) - 70k - [Cached](#) - [Similar pages](#)

#### DXperience - Summary

The **Windows forms** products are 100% C# based and fully optimized for Visual Studio . ...  
 You simply build an XtraReport **class descendant** either within the ...  
[www.componentsource.com/products/dxperience/summary.html](http://www.componentsource.com/products/dxperience/summary.html) - 60k - [Cached](#) - [Similar pages](#)  
 [ [More results from www.componentsource.com](http://www.componentsource.com) ]

### Thom Robbins .NET Weblog : Developing Mobile Applications with the ...

**Windows.Forms** namespace contains **classes** for creating **form** based applications. .... CF based applications accept **user input** and interactions from touch ...  
[blogs.msdn.com/trobbins/archive/2007/07/17/developing-mobile-applications-with-the-compact-framework-2-0.aspx](http://blogs.msdn.com/trobbins/archive/2007/07/17/developing-mobile-applications-with-the-compact-framework-2-0.aspx) - 199k - [Cached](#) - [Similar pages](#)



Google

custom windows form, descendant class, pers

Search

Advanced Search

Preferences

New! View and manage your web history

Web Results 11 - 20 of about 58,700 for **custom windows form, descendant class, persisted user input**. (0.1

### Universal Thread

The start and end dates would be coming as **user input** and would be .... (of different types) to a client side, other is a **Windows Form** application. ...

www.universalthread.com/wconnect/wc.dll?2,84,4,44 - 62k - [Cached](#) - [Similar pages](#)

### Frame component container - Patent 20020083415

For instance, the **user** can move screen buttons on the **descendant form** to a new .....

Here, the **persistent** binding of an object (e.g., button) to its method ...

www.freepatentsonline.com/20020083415.html - 118k - [Cached](#) - [Similar pages](#)

### O'Reilly Media -- Bookstore: .NET Windows Forms in a Nutshell

As with any **user** interface element, the **Form class** inherits from the Control ..... **input** from the **user**. With a **custom** control, you are given a blank slate. ...

www.oreilly.com/catalog/netwinformian/toc.html - 364k - [Cached](#) - [Similar pages](#)

### Model driven Gridview - The Code Project - C# Controls

It is a GridView **descendant** with an additional property: Model, which is responsible for delivering of: .... In this method, you can test the **user input**. ...

www.codeproject.com/cs/miscctrl/MVC\_Grid.asp - 38k - [Cached](#) - [Similar pages](#)

#### Model driven Gridview - The Code Project - C# Controls

Model property to your MVCGridViewModel **descendant**. That's all. You can hence add and edit your business .... In this method, you can test the **user input**. ...

www.codeproject.com/cs/miscctrl/MVC\_Grid.asp?

df=100&forumid=122760&exp=0&select=968695 - 40k - [Cached](#) - [Similar pages](#)

[ [More results from www.codeproject.com](#) ]

### Developing Applications for Everyone

First, rows are highlighted and **user input** selects a row. .... (cusPersistFonts is a

**descendent** of Doug Hennig's sfPersistent **class**, also included in the ...

www.tomorrowssolutionsllc.com/Materials/apps4everyone.html - 105k -

[Cached](#) - [Similar pages](#)

### Pawel Glowacki

The last regular session of Day 4 was "Delphi and **Windows Vista User Account** .... coding with **custom Windows** messages and using COM to automate skype. ...

blogs.codegear.com/PawelGlowacki/rss.aspx - 105k - [Cached](#) - [Similar pages](#)

### Qt 3.0: Annotated Class Index

QCustomMenuItem, Abstract base **class** for **custom** menu items in popup menus.

QDataBrowser, Data manipulation and navigation for data entry **forms** ...

doc.trolltech.com/3.0/annotated.html - 47k - [Cached](#) - [Similar pages](#)

### Developing Custom ASP.NET Server Controls

Oftentimes, however, your control will receive **user input**; thus, it will need to ..... In the present case, we want to use a **Windows Forms**-based interface, ...

bdn1.borland.com/borcon2004/article/paper/0,1963,32154,00.html - 192k -

[Cached](#) - [Similar pages](#)

### [ODF] Refactoring

File Format: OpenDocument - [View as HTML](#)

Separating visual design, data structures, **user input** handling and .... In **forms** or complex components. **Custom form** logic to synchronize its field ...

www.cs.huji.ac.il/~ood/lectures/OOD\_LEC\_10\_Frameworks\_Swing.odp - [Similar pages](#)